

Index

- Accident
 - rate 276, 281, 299
 - systems/organizational 61, 231
- Airport Performance Laptop Computer (APLC) 86
- Airspeed indicator 19, 68, 144, 150, 164
- Altimetry 38
- Ambiguity 13, 14, 18, 22, 32, 81, 129, 166, 193, 206, 228, 257, 293, 294
- Anchoring heuristic 78
- Anti-retraction System 174
- Approach
 - expedite 214, 249
 - high on 69, 134
 - instrument landing system (ILS) 9, 64, 186, 224, 238, 255
 - missed 9, 133, 185, 235
 - non-precision 41, 278, 290
 - slam dunk 66
 - special procedures 29, 52, 267
 - stabilized criteria 72, 126, 238, 305
 - unstable 71, 82, 215, 237, 243
 - visual 10, 66, 243, 255
- Aviation Safety Action Program (ASAP) 304
- Aviation Safety Reporting System (ASRS) 291, 301
- Assertiveness 124, 134, 193
- Attention
 - narrowing 17, 56, 71, 115, 139, 153, 208, 269, 299
 - shifting 56, 115, 228
- Attitude Director Indicator (ADI) 189, 208, 229
- Authority gradient 193
- Automaticity 29, 60, 81, 88, 104, 113, 123, 146, 183, 220, 235, 261, 272, 297, 299, 305, 306
- Automation
 - complacency of monitoring 202
 - mode awareness 199, 307
 - preference over manual 46
- Autothrottle disconnect 198
- Availability heuristic/bias 78, 206, 249, 252
- Bad apple theory 4, 301
- Beta range 216
- Bottom lines 73, 242
 - violation 78, 126, 265, 305
- Bouncing 88, 181
- Braking
 - auto- 80
 - manual 79, 268
 - stopping performance 86, 105
- Briefing 54, 136, 305
- Buying time 64, 183, 267, 271
- Callouts 41, 74, 164, 229, 241, 261, 265, 298, 307
- Causality 194, 300
- Certification standards 99, 166
- Challenging
 - see Errors in challenging
- Change blindness 145
- Checklists
 - challenge and response 76, 110, 147, 258
 - compliance 116, 129, 147
 - design 155, 176, 270
 - flow then check 110, 115, 146
 - mechanical 258
 - omission of item 113, 120, 145, 258
 - redundancy 115
 - vulnerabilities of 115, 120, 146, 270
- Circuit breakers 178
- Communications
 - assertiveness 124, 193
 - effective 65, 87, 218, 234
 - instructional role by Captain 87, 192
 - intervention 139, 190, 229
 - pilot-controller 256
 - routine 65
 - subtle 254

- Concurrent Task Management 62, 127, 263, 296, 299, 305, 306
- Confidence
 false 104, 253
 lack of 13, 86, 192
 overconfidence bias 78, 162
- Confirmation bias 21, 78, 122, 209
- Conscientiousness 6, 302
- Controlled Flight into Terrain (CFIT) 47
- Cost-benefit tradeoff 92, 167, 308
- Crew Resource Management (CRM) 37, 75, 87, 125, 191, 177, 277, 286, 303
- Crosswind 41, 102, 134, 137, 250
- Cry-wolf effect 253
- Cues
 absence of 12, 18, 22, 74, 99, 166, 200, 207, 266, 298
 confusing 21
 dependence on 44
 integration of 17, 32, 123, 261
 salient 32, 71, 120, 199, 266
 visual (see Visual)
- Cultures
 safety 82, 128
 work, professional 133, 147
- Debiasing 306
- Decision
 in face of evolving, conflicting cues 151
 override 140, 192
 rapid 28, 30, 31, 136, 231
- Declarative knowledge 80, 90, 138
- Deficiencies
 equipment/checklist design 26, 182, 231
 system 5, 61, 116, 167
- Deicing 96, 160
- Delays 146, 160
 status of accident flights 279
- Deterministic 5, 194, 292, 301
- Deviation from procedure 2, 116, 127, 147, 161, 220, 295, 302
- Discretion (crew's) 66, 91, 135, 265
- Dispatch 177, 248, 251
- Displaced localizer 238
- Distraction 113, 146
 caused by auditory warning/alarm 71, 119
 caused by concern 71, 76, 86, 120
 caused by incomplete/false information 56
 caused by non-operational conversation 118
 caused by weather 45, 262
- Duty time (see Fatigue)
- Emergency declared 208, 218
- Engine failure (flame-out) 216
- Error
 deterministic nature 5, 292
 exposure rate 6
 habit capture (see Habit capture)
 in challenging 43, 45, 56, 58, 61, 73, 81, 87, 119, 123, 191, 239, 243, 265, 282, 286
 in non-accident flights 6
 management training 23
 memory 49, 113, 114, 146, 262
 multiple defenses against 61, 127, 154, 167, 210, 299
 omission (see Checklist, Callout)
 probabilistic nature 5, 277, 292, 301
 probability 4, 289, 292
 procedural 2, 124, 146, 153, 270, 280, 286, 299
 slip 16, 167, 291, 292
 trapping 44, 155, 176, 210, 291
 type classifications 286
 when workload is high (see Workload)
- Erroneous
 airspeed indications 78, 144, 107, 298
 interpretation of cues 207, 298
 mental model 78
- Evacuation 152, 219
- Exceedances 303
- Expectation 10, 79, 90
 bias 115, 145, 149
 built on experience 77, 202, 253
 built on false alarms (see Cry-wolf effect)
 built on training 23
- False alarms (see Cry-wolf effect)
- Familiarity 52, 65, 285
- Fatality rate 1
- Fatigue

- accept performance of decreased quality 256
- circadian rhythms/time zone changes 123, 139, 188, 278, 280
- duty-time regulations 62, 263
- effects on performance 56, 57, 58, 124, 128, 139, 189, 192, 252, 262, 270, 292
- management 62
- self-evaluation 58, 123
- shift to reactive responding 123, 261
- Time Since Awakening (TSA) 280
- vulnerability to spatial disorientation 190
- Fixation
 - on missing cue 56
 - on OTW view 71
- Flaps
 - extension failure 117
 - indicator 114
- Flare
 - destabilized 87
- Flight Operating Manuals (FOM) 2
- Flight Operations Quality Assurance (FOQA) 83, 129, 303
- Fog of war 123
- Forgetting 39, 114, 154, 258, 296
- Framing 59, 206
- Get-there-it-is 124, 256
- Glideslope deviations 70, 186, 225, 234, 264
- Ground Proximity Warning System (GPWS) 20, 45, 71, 121, 187, 227, 264, 291
- Ground shift mechanism 176
- Ground spoilers 88, 179, 258, 265
- Habit 20, 44, 77, 79, 89, 104, 121, 151, 259, 264, 291
 - capture 27, 45, 105, 138, 164, 267
- Happenstance 21, 92, 128
- Hindsight bias 6, 21, 32, 99, 123, 139, 254, 289, 300
- Holdover time 160
- Horizontal Situation Indicator (HSI) 43
- Ice contamination 96, 113
- Illusion
 - inversion 195
 - leans 195
 - vestibular 189
 - visual (black hole approach) 228
 - visual 239
- Incapacitation 191
- Incidents
 - reporting 57, 83, 114, 177
 - similar 27, 60, 199, 266
- Information
 - absent/incomplete/incorrect 11, 40, 105, 209, 239
 - inadequate dissemination 98, 230
 - difficult to interpret 105, 257
 - diverse and conflicting sources 251
 - drawing together pieces 17, 118, 151, 252, 261
- Interruption 113, 129, 146, 258, 296
- Landing gear
 - failure to extend 113
 - unable to retract 174
 - under-inflation of strut 172
 - warning horn 118
- Last minute changes 54, 135, 303
- Legality issues 252, 256, 260
- Lightning strike 132, 134
- Line Oriented Flight Training (LOFT) 83, 306
- Line Operations Safety Audit (LOSA) 48, 83, 107, 129, 292, 304
- Local rationality 6, 21
- Loss of
 - airspeed 19, 57, 179, 198
 - control 59, 95, 188, 201
 - directional control 103, 137
 - lift 179
- Low Level Wind Shear Alerting System (LLWAS) 12, 253
- Maximum performance descent 214
- Memory
 - automatic retrieval 28, 32, 138
 - capacity 153, 260, 299
 - source 49, 113, 146
- Mental model 15, 78, 206, 252, 305
- Microbursts 13

- Monitoring
 - and challenging errors 61, 191, 287, 296
 - cockpit automation 78, 199
 - execution of checklists 114
 - neglect 81
 - reliable systems 145, 202
 - training for 44, 203, 229, 241, 306
- Monovision contact lens 240
- Narrowing of attention (see Attention)
- National Transportation Safety Board (NTSB)
 - charter 3
 - investigative approach 2
 - final accident report 2
- Norms 3, 15, 44, 76, 104, 115, 125, 129, 155, 163, 271, 295, 302, 304
- Omission (see Error)
- On-time performance 15, 64, 78, 129, 147, 220, 237, 271, 305
- Onboard Performance Computer (OPC) 65
- Overconfidence (see Confidence)
- Overcontrol 92, 103, 138, 203
- Override/over-rule (see decision)
- Overspeed 216
- Performance variability 21, 28, 46, 82, 262, 277, 289, 224, 28
- Pilot reports 12
- Pilot-induced oscillation (PIO) 89, 93
- Pitot heat 144, 149
- Plan Continuation Bias 14, 77, 92, 124, 237, 255
 - training for 93, 129, 243
- Power distance 74, 125, 272
- Practice 35, 62, 83, 91, 105, 166, 193, 203, 267, 299, 306
 - lack of 41, 92, 138, 153, 219, 220, 230, 243
- Preoccupation 56, 120
- Pressure
 - barometric 38, 40
 - cabin 178
 - engine pressure ratio 266
 - hydraulic 112
 - operational 133, 147, 214, 243
 - time 17, 21, 28, 54, 59, 70, 78, 92, 106, 113, 123, 136, 148, 164, 180, 230, 237, 251, 280, 297
- Primary-Backup Inversion 44
- Priming 13, 55, 77, 164, 205, 230
- Proactive management 12, 59, 87, 133, 234, 252, 305
 - interference 49
- Probabilistic outcome 5, 23, 34, 107, 128, 194, 245, 277, 292, 301
- Procedure
 - adherence/violation 10, 82, 110, 118, 126, 181
 - deviation from 2, 116, 127, 147, 161, 220, 295, 302
 - rationalization 218
 - standardization 2
- Procedural knowledge 90, 138
- Psychosocial factors 5, 81, 147, 191, 237, 300
- Quick Reference Handbook (QRH) 174, 182
- Rare
 - situation 28, 32, 90, 99, 151, 189, 190, 200, 231, 294, 297
- Readback 255
- Recognition Primed Decision Making 32, 122, 207, 251
- Red-eye flight 139
- Rejected takeoff 31, 105, 152
- Reliability 5, 33, 48, 73, 78, 145, 155, 182, 229, 242, 271, 291
- Representativeness bias 81, 202
- Response
 - impulsive 30, 126, 106
 - instinctive 19, 137
 - times 21, 227, 263
 - unconscious 88, 217
- Retrieval 22, 28, 90, 113, 138, 180, 205
- Risk
 - desensitization to 22, 75
 - distorted based on personal (prior) 257
 - inadequate appreciation of 15, 46, 54, 64, 136, 161, 220, 237, 249
 - training for 303
- Routine situation 12, 83, 107, 120, 154, 270, 291

- Rules of thumb 67, 214
- Rudder blanking 267
- Runway
 - change 53, 64, 253, 303
 - short 65, 90
 - visual range 10, 223, 234
 - wet 138, 250
- Rushing 146, 149, 297
- Safeguards 34, 48, 80, 127, 146, 190, 210, 266, 271, 305
- Safety
 - level 1, 34, 48, 303
 - margins 15, 77, 148, 265, 305
- Scan (instruments) 21, 27, 44, 149, 229, 241
- Single engine taxi 148
- Sink rate 20, 45, 70, 89, 182, 187, 227, 237, 264
- Situational awareness 51, 263, 286, 306
- Slippery airport surfaces 101, 161, 137, 151, 260
- Snowball effect 47, 60, 77, 129, 242, 263, 292, 299
- Stall
 - false warning 26
 - recovery procedures 29, 205, 293
 - warning system (stick shaker) 57, 165, 201
 - warning system failure 99
- Strategic challenges/decisions 67, 250, 261, 296, 305
- Stress 299
 - cue interpretation 21
 - information integration 17
 - narrowing of attention (see attention)
 - retrieval from memory 138, 180
 - situational 248, 262
 - vulnerability to error 16, 31, 124, 153, 203, 219, 251, 262
 - vulnerability to impulsive response 28, 106, 126
- Surprise 28, 69, 138, 176, 190, 206, 268, 293, 294, 298, 307
- Systemic factors 48, 116, 147, 163, 221, 301
- Tactical challenges/decisions 250
- Tailwind 17, 64, 82, 135, 214, 253
- Tail strike awareness program 91
- Takeoff warning horn 176
- Task shedding 76
- Technique
 - close in descent 69
 - debiasing 306
 - delayed rotation in cold weather operations 165
 - flow then check 146
 - for controlling descent 68
 - for directional control 137
 - for obtaining extra drag, moving
 - for slowing down, retarding throttles 199
 - initial takeoff roll 105
 - landing 87
 - level-off at MDA 43
 - power levers below flight idle 217
 - stall recovery 207
- Threat and Error Management (TEM) 23, 47, 277, 303
- Thunderstorms 12, 135, 205, 250, 294
- Tiller 102, 137
- Time
 - compression 65, 76, 119, 150, 262
 - critical situations 27, 90, 99, 135, 243
 - estimation 151, 262
- Time Since Awakening (TSA) 280
- Transfer of control
 - improper – FO did not realize 203
 - intervention by FO 190
 - sudden 29, 125, 135, 226, 284
 - training for 34, 192
- Triggers 22, 32, 44, 48, 76, 89, 113, 167, 180, 235, 251, 299
- Turbulence 18, 42, 132, 205, 215, 258
- Unstabilized approach 71, 126, 216, 238, 264, 286, 295, 304
- Upset attitude 20, 190, 203, 277, 293, 307
- VASI 240
- Vertical Speed Indicator (VSI) 229, 239
- Visual contact/cues 11, 43, 79, 90, 145, 189, 224, 228, 234, 238, 275

Warning

- distracting 72, 123, 153
- failure to activate 99, 205
- habituation 120
- need for highly salient 126, 199, 266, 278, 286, 291, 297, 307
- nuisance 18
- pitot-static heat (see pitot)
- predictive vs. reactive 17

Weather

- adequacy of information 9, 10, 257
- and accidents 279
- cold weather ops 161, 174
- deteriorating 13, 46, 234, 250, 260
- deviations for 10, 132, 201
- penetration 15, 256, 295

Weathervaning 137

Wind 12, 63, 103, 134, 187, 250

Windshear 11, 253, 258

alert system (see LLWAS)

avoidance/recovery maneuver 16, 205

Wing

contamination check 96, 148, 160, 295

icing 96, 162

Workload

high 16, 28, 40, 45, 53, 54, 59, 67, 70, 76, 119, 135, 208, 219, 237, 251, 261, 296, 208, 296, 251, 261, 219, 53-54, 59, 67, 70, 76

low 65, 118

management 149, 177